


# 43" LED UHD Monitor

MW3243-F-V



## Key Features


- 4K UHD display.
- Stable structure design, highly durable, ultra-narrow bezel, ultra-slim depth, light-weight and elegant.
- Industrial-grade panel, 24/7 continuous operation.
- The automatic color and image enhancing engine effectively improves the contrast, details, and edges of the images and to render optimum colors.
- Wide 178° viewing angles allow viewing from almost any direction.
- Silent operation, offering a quiet working environment.
- VESA standard mount enables easy installation.
- Flexible wall mount and stand mount, saving space.

## Specifications


Model	MW3243-F-V
Panel	
Light source	LED backlight
Panel size	43 inches
Pixel pitch (mm)	0.2451*0.2451
Resolution	3840*2160
Brightness (cd/m <sup>2</sup> )	300

Contrast ratio	1000:1
Response time (ms)	14
Color support	1.07B
Display size (mm)	941.184*529.416
Viewing angle (H/V)	178°/178°
<b>Interface</b>	
Video input	2*HDMI、2* DP
Audio output	3.5mm headphone jack
<b>Speaker</b>	
Speaker	2*5W
<b>OSD</b>	
Language	English、French、German、German、Italian、Dutch、Korean、Simplified Chinese、Traditional Chinese
<b>VESA</b>	
Wall mount hole (mm)	200*200
Wall mount screw	M6 (10mm deep thread)
<b>General</b>	
Input voltage	AC 100~240V, 50/60Hz
Typical power consumption (W)	≤90
Standby power consumption (W)	≤0.5
Operation temperature	0~40°C
Operation humidity	20%~85% (non-condensing)
Storage temperature	-10~60°C
Storage humidity	10%~90% (non-condensing)
Product dimensions (W*H*D)(mm)	964.4*560.9*94.9
Package dimensions (W*H*D)(mm)	1055*645*130
Weight (kg)	Net Weight:6.8 Gross Weight:8.6
Accessories included	1*HDMI cable、1*Quick Guide、1*Remote Control、1*Power Cable

### Dimensions



### Interfaces



### Order Information

Model	Remarks
MW3243-F-V	43-inch LED monitor
HB-5043-H-43 Inch 4K Monitor Base Bracket	Optional

HB-4032-E-43 Inch Monitor Wall Mount Bracket	Optional
--	----------

**Zhejiang Uniview Technologies Co., Ltd.**

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2022 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\* Product specifications and availability are subject to change without notice.